

## Index to the User News

Volume 1, Number 1 (August 1980) through Volume 25, Number 6 (Nov/Dec 2004)

The index lists User News volumes, issues, and page numbers as follows: title of the article, volume number, issue number, and page number. Current and recent issues of the newsletter are available as PDF files on the Simulation Research Group website at <http://SimulationResearch.lbl.gov> then select "Newsletter" from the left menu. All back issues are available free of charge; email requests for non-PDF files to [klcellington@lbl.gov](mailto:klcellington@lbl.gov).

### ADELINE Program

Version 1.0 ... 16:3,6  
Version 2.0 ... 17:4,36-39)

### ADVANCED SIMULATION

Advanced Simulation (2.1C)...7:4,4-8  
BestOf Program ... see EnergyPlus Program  
Calling all Simulation Educators ... 21:4,9  
DOE-2 and the Next Generation (2.1C)...6:4,1-2  
EnergyBase ... see EnergyPlus Program  
EnergyPlus Interoperability ... 22:4,2-3  
High-Performance Building Project (USDOE) ... 21:4,10  
IBPSA (2.1C)...8:2,4-7  
IBPSA Conferences  
93 Abstracts...14:3,13, 14:4,15  
97 Call for Papers...17:1,15, 17:3, 13  
SPARK ... see **VisualSPARK**

### Ask an EnergyPlus Expert

Air Cross-Mixing ... 25:1,6  
Air Flow, Unitary System ... 25:5,3; 25:6,6  
Autosizing 25:6,7  
Batch Command ... 24:2-4,6  
Blinds and Slats ... 23:5,9  
Blinds' Effect on Temperature ... 25:1,8  
Building Geometry Modification ... 24:6,7  
Canadian Weather Files (CWEC) ... 24:6,6  
Ceiling Diffuser ... 25:5,7  
Ceiling, False ... 25:4,5  
Change the Units? ... 25:3,8  
Changing Properties ... 25:4,5  
Chiller Status ... 25:1,6  
COMIS – Airflow:Opening 25:6,4  
COMIS Questions and Answers ... 25:2,8  
COMIS – Subsurface on Interzone Surface 25:6,5  
Compact Schedules ... 25:1,10  
Cooling and Heating Capacity Limit ... 24:2-4,6  
Cooling and Heating Rates 25:6,6  
Cooling Coil Controls ... 23:5,9; 25:6,5  
Coordinate System (Daylighting) ... 25:5,4  
CTFs in EnergyPlus ... 25:3,6  
Daylight Savings Time ... 24:6,7  
Daylighting (Coordinate System) ... 25:5,4  
Daylighting ... 24:6,5  
Daylighting, Interreflection ... 25:4,3

Design Days 25:5,10; 25:6,3  
Diffuser, Ceiling ... 25:5,7  
DOE-2 to EnergyPlus Converter ... 24:2-4,6  
DWG / IFC / IDF 24:6,8  
Energy and Electricity Outputs ... 24:5,6  
Energy Consumption Comparisons ... 25:4,5  
EPMacro – DOE-2 to EnergyPlus ... 25:2,6  
EPMacro – Parametric Runs ... 25:2,6  
Error in the ACH Calculation 24:6,6  
False Ceiling ... 25:4,5  
Floor Tilt, Wall Tilt ... 25:2,7  
Geometry, Building Modify ... 24:6,7  
Geometry, Surface Dimensions ... 24:6,8  
Geometry, Window ... 25:3,5  
Geometry, Zone ... 25:1,7  
Glare Index ... 25:4,2  
Glass Doors 25:6,6  
Ground Calculation ... 25:3,3  
Heat Gain, People vs Latent ... 23:4,3-4  
Heat Recovery ... 25:5,5  
HVAC Loops ... 25:3,7  
HVAC-Diagram ... 25:5,5  
IDF ... 23:4,3-4  
IFCtoIDF Errors ... 25:2,7  
Infiltration ... 25:4,4  
Inlet Vents ... 25:1,9  
Interreflection, Daylighting ... 25:4,3  
Latent Load vs People Sensible ... 25:1,6  
Load and Energy Balance ... 24:2-4,6  
Loads Breakdown ... 25:3,2  
Master Meter Reports ... 23:5,9  
Meaning of Output Variables ... 24:2-4,6  
Moisture Store, Passive Humidity Control ... 24:2-4,6  
Moisture Transfer Function ... 25:3,5  
Night Purge ... 25:1,9  
Non-Closed Spaces ... 25:4,2  
Operative Temperature Prediction ... 24:5,6  
Optimize EnergyPlus Runs ... 24:2-4,6  
Outdoor Dry Bulb Temperature ... 25:5,9  
Outside Building Temperature ... 25:5,6  
People Object ... 25:3,5  
People Sensible vs Latent Load ... 25:1,6  
People vs Latent Heat Gain ... 23:4,3-4  
PID Controlled Valve ... 24:2-4,6  
Pump Fatal Error ... 25:1,9

Purchased Air ... 25:4,3  
Purchased Air, Outlet Nodes 25:6,5  
Purchased Hot Water ... 24:2-4,6  
Radiant Panels ... 25:5,8  
Radiation Data, EPW Weather Format ... 25:2,9  
Radiation Terms ... 25:5,4  
Radiator Simulation ... 24:6,6  
Report Sensible Heating / Cooling Loads ... 24:6,5  
Report Variable SUMHAT ... 24:51,3  
Reports (Master Meter) ... 23:5,9  
Residential Fan Performance ... 25:3,6  
Rooftop Unit ... 25:2,6  
Running COMIS with HVAC ... 24:2-4,6  
Schedules ... 25:5,7  
Schedules and Temperature Settings ... 25:3,2  
Schedules, Compact ... 25:1,10  
Shading Control ... 25:1,8  
Simple Cooling Coil Warning 25:6,7  
Single Zone System ... 25:4,2  
Sky Model ... 25:5,8  
Slab.exe ... 24:6,4  
Steady State Temperature ... 24:51,3  
Surface Description ... 25:3,7  
Surface Geometry and Dimensions ... 24:6,8  
Surface vertices ... 23:6,3  
Switchable Glazing Examples ... 25:5,2  
System Sizing ... 25:5,7  
System Types ... 23:5,9  
TDD: Diffuser vs Dome ... 25:5,9  
Temperature Curve ... 25:5,10; 25:6,3  
Thermal Mass ... 25:5,3  
Time Step Reduction ... 25:1,7  
Time Steps ... 24:5,6  
Transition utility (1.0 to 1.0.1) ... 23:3,3  
Unitary System (Air Flow) ... 25:5,3  
Units Change? ... 25:3,8  
Variable Speed Pump Equation ... 24:51,3  
Wall Tilt, Floor Tilt ... 25:2,7  
Water Bypass Loop ... 25:5,5  
Water Heater Temperature Node ... 25:5,4  
Water Heaters ... 25:5,6  
Water Tank as an Energy Storage Device ... 25:2,7  
Weather (Manipulating Files) ... 25:3,4  
Weather (Radiation Data/EPW) ... 25:2,9  
Weather Data, Discrepancy ... 25:3,4  
Weather, Canadian (CWEC) ... 24:6,6  
Weather: hour1 ... 23:3,3  
Wetness Factor ... 23:4,3-4  
Window Geometry ... 25:3,5  
Zone Geometry ... 25:1,7  
Zone Temperatures ... 25:1,9  
Zone Warnings ... 25:1,8

#### **BEST (Canada)**

BEST: B.C. Hydro's Interface to DOE-2...18:2,10-16

#### **BestOf see EnergyPlus**

#### **Bild-IT Project (21:5,2-3)**

#### **BinMaker (19:2,24)**

#### **BLAST**

Atmospheric Pollution Prediction ...18:3,4-11  
BLAST...17:1,31  
BLAST/DOE-2 Combined ... see EnergyPlus  
Combining the BLAST Loads / Systems Simulations  
through the Zone Heat Balance Equation..17:2,30-35  
DOE-2 and BLAST Unite!...16:4,1  
HBLC...17:1,31; 19:3,6-7  
Heat Balance Method of Calculating Building Heating and  
Cooling Loads...17:1,32-35  
Improved Procedures for Calibrating Hourly Simulation  
Models..18:1,25-30  
Integrating the BLAST Fan System and Central Plants  
Using a Simple Model of the Fluid Loops ...17:4,1-5  
Use of Multiple Time-Steps in IBLAST...17:3,30-31  
WinLCCID 96 ...16:4,5  
WinLCCID 98 ... 19:3,8

#### **BLUEPRINT, Calif Energy Commission Newsletter... 21:4,13**

#### **BSPRO COM-Server (21:5,4-5)**

see also INTEROPERABILITY

#### **BUGS, in DOE-2.1E**

BDL...15:3,8,10,12; 15:4,7  
DKEY...15:3,8,11; 22:3,14  
DRLC...15:3,8  
LOADS...15:3,9,10; 15:4,7  
PLANT...15:3,11  
SIM...15:3,10; 22:3,14  
SYSTEMS...15:3,8,10,11,12; 15:4,6; 22:3,14  
WTH...15:4,6

#### **BUILDING DESIGN ADVISOR (BDA)**

Beta 1 Release...19:1,29; 19:3,2-3  
Beta 2 Release...21:2,7; 21:3,9

#### **BUILDING SIMULATION**

BLDG SIM mailing list ... 20:1,14; 22:5,3  
Canada's One-Stop Website for EE ... 24:2-4,19  
CANMET Building Software ... 25:4,18  
Eley Associates Merges with Architectural Energy  
Corporation ... 24:6,15  
Envelope, Interactive Web Site for Calcs ... 25:2,31  
Newsletter Round-Up ... 21:1,2; 23:1,8; 24:1,8;25:2,28  
NFRC Label ... 24:6,15

#### **BuildOpt and BuildOpt Validation ... 25:2,20**

#### **California Energy Commission**

Energy training videos ... 23:1,10

#### **CIRA**

CIRA (DOE-2.1A)...3:2,2

#### **COMIS**

COMIS: The Multizone Air Flow and Contaminant  
Transport Model for EnergyPlus ... 19:4, 8-15

#### **CoolTools**

CoolTools from PG&E ... 20:2,8-9

**Daylight in Buildings** (a free sourcebook) ... 25:2,29

**DAYLIGHTING**

- Glazing Optimization Study (2.1A)...3:3,4-5
- Daylighting Design Tool Survey ...11:2,12-17; 12:3,19-24; 14:2,2-8
- Dimming & Energy Savings (2.1E)... 17:1,7-14
- Network of North America (2.1C)... 6:1,1-2
- Daylighting w/ Multiple Skylights (2.1D)...13:2,2-5
- Modeling Complex Daylighting (2.1C)...11:1,6-15
- Orientation Info for Exterior Walls (2.1E)...19:1,21
- Optimizing Solar Control in a Commercial Building (2.1D)...14:1,16
- Seeing Daylight in Southern Calif. (2.1C)...6:3,1
- Spectrally Selective Glazings in Cooling-Dominated Climates (2.1D)...14:2,16
- Sunspace/Atrium Model in 2.1C...5:4,1-2
- SUPERLITE (2.1C)...8:2,1
- Switchable Window Modeling (2.1D)... 14:3,12

**DesiCalc**

- DesiCalc from GRI...19:2,15
- DesiCalc 2.0 ... 22:5,12

**DesignBuilder and EnergyPlus** ... 25:1,2; 25:6,9

**Desktop RADIANCE**

- Desktop RADIANCE ... 20:3,7; 21:3,3-6
- Update--Gas Heat Pump Calcs (2.1D)...14:3,9-11

**DOE-2 (general topics)**

- 1,000-zone version of DOE-2.1E ... 22:5,2
- Analyze DOE-2 Outputs Quickly (2.1C)...10:2,7-12
- ASHRAE/IES Standard 90 (2.1C)...6:1,3
- CECDOEDC California Compliance Tool... 12:4,1,12-14
- COMPLY24 California Compliance Tool...12:2,2-6
- Cooling Towers, Hot Tips for...13:3,2-3
- Discovering the Unexpected w/DOE-2 (2.1C)... 7:1,3-6
- DOE-2 and CCIP (2.1E)...12:3,16-18
- DOE-2 and Research at LBL (2.1A)...3:2,1-8
- DOE-2.1E PC Version Release...21:1,1
- DOE-2.1E Release...14:3,2-8
- DOE-2.1E/32: A 32-Bit Compilation of DOE-2...18:3,3
- DOE-2.2: Announcement of "Non-Release" ...20:2,1
- DOE-Plus Pre/Post-Processor (2.1D)...11:4,4-13
- DoeRayMe, a new screening tool app ... 22:5,9
- DOE-SCAN Output Interpreter (2.1D)...12:4,2-3
- Electric Ideas Clearinghouse...11:3,1
- Energy Analysis: Texas State Capitol Restor ...13:4,2-10
- Energy Efficiency in Singapore (2.1B)...5:1,1-2
- The Energy FinAnswer (2.1D)...14:1,2
- Energy Science & Technology Center...12:4,1
- EPR/DOE Collaboration...12:4,4-5
- Graphical Tools Calibrate DOE-2...13:1,5-14
- Guidelines for Simulation of Buildings...13:3,4-8
- Improved Procedures for Calibrating Hourly Simulation Models...18:1,25-30
- Life beyond DOE-2.2 ???...19:1,1
- National Energy Software Center...11:2,11
- New Features in 2.1A ...2:1,1; 2:2,1
- New Features in 2.1D...9:2,3-6
- Plant Operating Strategies (2.1D)...12:3,2-15

PG&E's Pacific Energy Center...13:1,15, 15:1,6

Resource Centers

- Australasia...15:1,3
- Australia...16:1,43
- Brazil ... 15:1,3
- Egypt... 19:4,33
- Czech Republic ... 20:4, 15
- Egypt
- Germany...16:1,43
- Hong Kong...16:4,1
- India ...20:2,7
- Italy ... 20:4, 15
- Korea...19:3,18; 19:4, 33; 22:2,23
- New Zealand...18:3,23
- Portugal...15:2,20
- Singapore...15:3,3
- South Africa...18:2,1,33
- Switzerland...16:2,1,25

Sky Simulator at LBL (2.1B)...4:2,3

SOCAL Edison's Design Assistance Program (2.1D)...12:2,48

Start Thinking Metric!...14:1,8-9

Thermal Properties of Food...14:3,19

User Survey Results...16:3,2-3

Using DOE-2 to Estimate Component Heating and Cooling Loads of the Entire U.S. Building Stock ... 19:4, 4-6

Using DOE-2 in the Design Process (2.1A)...3:2,4

Utah's Building Design Center...13:2,53

**DOE-2 (specific topics)**

- Atrium Buildings, How to Model (2.1C)...7:3,2-7
- Barrel Vault Function in DOE-2.1E ... 23:5,15
- BDL fix: symbol table full (all)...9:2,2; 11:1,5
- Caution and Error Messages (2.1)...1:2,2-3
- COMBINE (2.1D)...11:2,1
- Cooling Systems, How to Size (2.1C)...10:1,2-8
- Custom Weighting Factors (Auto) (2.1A)...2:2,2-3
- Input Guidelines (2.1)...1:1,15-16
- "Daylight in Buildings" recent report ... 24:1,9
- Daylighting: Orientation Info for Exterior Walls (2.1E) ... 19:1,21
- Defrost Energy ... 22:4,4
- Diesel Generation model ... 22:2,8
- Dome Function in DOE-2.1E ... 23:5,15
- DSNFIL, File structure for (2.1A)...3:1,6-8
- Economic Evaluation Methods (2.1A)...3:1,3-5
- ECONOMICS, Electric Rate Structure (2.1C) ... 5:3,1-3
- Electrical Generation Strategies (2.1B)...4:2,1-2
- Fan Coil system ... 22:1,22
- Functional Values, Development of (2.1B)...3:4,1-2
- Functional Values, Example Inputs (2.1D)...12:1,2-4
- Glazing Optimization Study (2.1A)...3:3,4-5
- Graphs from DOE123 (2.1C,D)...10:3,5-7
- Height: How is Height Determined for Wind-Speed Modifications? ... 25:6,14
- Hourly reports...13:1,4
- LOADS: High heating loads with low cooling loads (2.1C vs D)...12:2,47
- Ice Storage Systems, How to Model (2.1C)..8:1,2-5
- Input Macros for Residential Windows (2.1D) ...12:1,5-17
- LDSOUT, File structure for (2.1A)...3:1,6-8

Loss calculation formula ... 22:2,6  
 Materials and Layers ... 23:3,6  
 Metric Option in 2.1C...4:3,1  
 Optimizing Solar Control in a Commercial Building (2.1D)  
 ...14:1,16  
 Output Reports (2.1A)...2:2,4-6  
 PLANT, Direct Cooling in (2.1A)...3:1,2  
 Powered Induction Units (2.1B)...4:1,2  
 Reading Measured Schedule Values From a File (2.1D)  
 ...14:1,3-4  
 Reports (Upgraded) in 2.1B...4:4,1-2  
 Schedules, Preparing (2.1B)...4:1,3; 4:2,4;9:3,2-3  
 Systems, Developments in (2.1C)...5:3,3-4  
 SYSTEMS, Schedules (2.1E) ... 15:4,2-5  
 SYSTEMS, Sizing Option in (2.1A)...2:3,3  
 Stud Wall Construction (2.1A)...2:3,4  
 Sample Run Book Overview (2.1C)...6:2,1  
 Spectrally Selective Glazings in Cooling-Dominated  
 Climates (2.1D)...14:2,16  
 Sunspace/Atrium Model in 2.1C...5:4,1-2  
 Surface Temperature Calculations in DOE-2.1E ... 20:2,4-7  
 VAV Economizer ... 22:1,22VAV: Elevated Supply Air  
 Temps (2.1B)...4:3,2-3  
 VAV: Fan Sizing (2.1A)...2:2,7-8  
 Weather, Processing Nonstandard (2.1D)...10:3,2-6

#### DOE-2 Validation

Collins Building (2.1C)...8:3,2-4  
 DOE-2 vs BLAST Comparison (2.1A)...3:3,1-3  
 DOE-2 vs CERL Data: VAV and Reheat (2.1A)... 3:2,3  
 Daylighting Dimming & Energy Savings (2.1E)... 17:1,7-14  
 Validation Studies of DOE-2 ... 19:3,14

#### DOE-2

##### Articles related to Version 2.1E

1,000-zone version ... 22:5,2  
 Barrel Vault Function in DOE-2.1E ... 23:5,15  
 Calculation of Surface Temperatures...16:2,4-6  
 Changing the Holiday List...16:1,5-13  
 Control of relative humidity ... 23:6,11  
 Daylighting Dimming and Energy Savings: Window  
 Orientation and Blinds...17:1,7-14  
 Daylighting: Orientation Information for Interior  
 Walls...19:1,21  
 Defrost Energy ... 22:4,4  
 DESIGN-DAY ...15:1,2  
 Diesel Generation model ... 22:2,8  
 DOE-2.1E/32: A 32-Bit Compilation of DOE-2 ...18:3,3  
 Domes Function in DOE-2.1E ... 23:5,15  
 Fan Coil system ... 22:1,22  
 FROM-GROUND Code-word Error ... 24:2-4,16  
 FTIDOE Release of Version 3.2 ... 24:2-4,11  
 Greening of the White House...15:2,6  
*Improving The Building Design And Operation of a Thai  
 Buddhist Temple Using Coupled DOE-2/CFD  
 Simulations ... 23:4,8*  
 Input Functions ... 15:3,23  
 Input Functions to Determine Building Load w/Outside  
 Air...15:2,3-5  
 Loss calculation formula ... 22:2,6  
 Materials and Layers ... 23:3,6  
 Metric Unit Values for ENERGY-RESOURCE..16:1,2-3

MIN-SUPPLY-SCH vs MIN-AIR-SCH ... 23:6,11  
 --"nan" output :23,2:15  
 New Features in 2.1E...13:1,2-3  
 Outside Air Intake ... 23:6,11  
 RIUSKA and SMOG ... 20:3,2-5  
 PC version of DOE-2.1E ...21:1,1  
 Release of DOE-2.1E ...14:3,2-8  
 Saving Hourly Output for Postprocessing...18:1,31  
 Shading and Visible Transmittance ... 24:2-4,16  
 Simplified Tool for Design of Compressor-less  
 Houses...16:3,7-15  
 Surface Heat Transfer Calculation ...19:1,6-13  
 Surface Temperature Calculations in DOE-2.1E ... 20:2,4-7  
 Switch-Off Dimming Systems...16:1,4  
 SYSTEMS Schedules, Overview...15:4,2-5  
 System Type: VAVS...15:2,2  
 2-Dimensional Wall Response Factors...17:3,6-12  
 Underground Surfaces:  
 Surface Heat Transfer Calculation ...19:1,6-13; 19:4, 40  
 revised 23:6,29  
 Using DOE-2 to Estimate Component Heating and Cooling  
 Loads of the Entire U.S. Building Stock ... 19:4, 4-6  
 Using DOE-2 to Study Apartment Indoor Temperatures  
 During the July 1995 Chicago Heat Wave...17:3,2-5  
 Variable Light Transmittance ... 24:2-4,16  
 VAV Economizer ... 22:1,22  
 WINDOW-4 Data, how to use :23,2:15

#### DOE-2.2

A New Generation in DOE-2 Building Energy  
 Analysis..19:2,2-5  
 DOE-2.2: Announcement of "Non-Release" ...20:2,1

#### DrawBDL

DrawBDL -- Release of 3.0 ... 23:5,20, 23:6,13

#### Ecotect and EnergyPlus ... 24:6,2

#### ENERGY-10

ENERGY-10 Program ... 21:2,6; 21:3, 13; 21:4,13;  
 21:5,11  
 Release of 1.5 ... 23:3,9  
 Release of 1.6 ... 24:1,6  
 WeatherMaker ... 20:3,8-13

#### EnergyPlus

##### Ask an EnergyPlus Expert

Air Cross-Mixing ... 25:1,6  
 Air Flow, Unitary System ... 25:5,3; 25:6,6  
 Autosizing 25:6,7  
 Batch Command ... 24:2-4,6  
 Blinds and Slats ... 23:5,9  
 Blinds' Effect on Temperature ... 25:1,8  
 Building Geometry Modification ... 24:6,7  
 Canadian Weather Files (CWEC) ... 24:6,6  
 Ceiling Diffuser ... 25:5,7  
 Ceiling, False ... 25:4,5  
 Change the Units? ... 25:3,8  
 Changing Properties ... 25:4,5  
 Chiller Status ... 25:1,6  
 COMIS – Airflow:Opening 25:6,4  
 COMIS Questions and Answers ... 25:2,8

COMIS – Subsurface on Interzone Surface	25:6,5	Radiator Simulation ...	24:6,6
Compact Schedules ...	25:1,10	Report Sensible Heating / Cooling Loads ...	24:6,5
Cooling and Heating Capacity Limit ...	24:2-4,6	Report Variable SUMHAT ...	24:51,3
Cooling and Heating Rates	25:6,6	Reports (Master Meter) ...	23:5,9
Cooling Coil Controls ...	23:5,9; 25:6,5	Residential Fan Performance ...	25:3,6
Coordinate System (Daylighting) ...	25:5,4	Rooftop Unit ...	25:2,6
CTFs in EnergyPlus ...	25:3,6	Running COMIS with HVAC ...	24:2-4,6
Daylight Savings Time ...	24:6,7	Schedules ...	25:5,7
Daylighting (Coordinate System) ...	25:5,4	Schedules and Temperature Settings ...	25:3,2
Daylighting ...	24:6,5	Schedules, Compact ...	25:1,10
Daylighting, Interreflection ...	25:4,3	Shading Control ...	25:1,8
Design Days	25:5,10; 25:6,3	Simple Cooling Coil Warning	25:6,7
Diffuser, Ceiling ...	25:5,7	Single Zone System ...	25:4,2
DOE-2 to EnergyPlus Converter ...	24:2-4,6	Sky Model ...	25:5,8
DWG / IFC / IDF	24:6,8	Slab.exe ...	24:6,4
Energy and Electricity Outputs ...	24:5,6	Steady State Temperature ...	24:51,3
Energy Consumption Comparisons ...	25:4,5	Surface Description ...	25:3,7
EPMacro – DOE-2 to EnergyPlus ...	25:2,6	Surface Geometry and Dimensions ...	24:6,8
EPMacro – Parametric Runs ...	25:2,6	Surface vertices ...	23:6,3
Error in the ACH Calculation	24:6,6	Switchable Glazing Examples ...	25:5,2
False Ceiling ...	25:4,5	System Sizing ...	25:5,7
Floor Tilt, Wall Tilt ...	25:2,7	System Types ...	23:5,9
Geometry, Building Modify ...	24:6,7	TDD: Diffuser vs Dome ...	25:5,9
Geometry, Surface Dimensions ...	24:6,8	Temperature Curve ...	25:5,10; 25:6,3
Geometry, Window ...	25:3,5	Thermal Mass ...	25:5,3
Geometry, Zone ...	25:1,7	Time Step Reduction ...	25:1,7
Glare Index ...	25:4,2	Time Steps ...	24:5,6
Glass Doors	25:6,6	Transition utility (1.0 to 1.0.1) ...	23:3,3
Ground Calculation ...	25:3,3	Unitary System (Air Flow) ...	25:5,3
Heat Gain, People vs Latent ...	23:4,3-4	Units Change? ...	25:3,8
Heat Recovery ...	25:5,5	Variable Speed Pump Equation ...	24:51,3
HVAC Loops ...	25:3,7	Wall Tilt, Floor Tilt ...	25:2,7
HVAC-Diagram ...	25:5,5	Water Bypass Loop ...	25:5,5
IDF ...	23:4,3-4	Water Heater Temperature Node ...	25:5,4
IFCtoIDF Errors ...	25:2,7	Water Heaters ...	25:5,6
Infiltration ...	25:4,4	Water Tank as an Energy Storage Device ...	25:2,7
Inlet Vents ...	25:1,9	Weather (Manipulating Files) ...	25:3,4
Interreflection, Daylighting ...	25:4,3	Weather (Radiation Data/EPW) ...	25:2,9
Latent Load vs People Sensible ...	25:1,6	Weather Data, Discrepancy ...	25:3,4
Load and Energy Balance ...	24:2-4,6	Weather, Canadian (CWEC) ...	24:6,6
Loads Breakdown ...	25:3,2	Weather: hour1 ...	23:3,3
Master Meter Reports ...	23:5,9	Wetness Factor ...	23:4,3-4
Meaning of Output Variables ...	24:2-4,6	Window Geometry ...	25:3,5
Moisture Store, Passive Humidity Control ...	24:2-4,6	Zone Geometry ...	25:1,7
Moisture Transfer Function ...	25:3,5	Zone Temperatures ...	25:1,9
Night Purge ...	25:1,9	Zone Warnings ...	25:1,8
Non-Closed Spaces ...	25:4,2	Become an EnergyPlus Program Developer ...	20:3,18
Operative Temperature Prediction ...	24:5,6	Best of BLAST and DOE-2...16:3,1	
Optimize EnergyPlus Runs ...	24:2-4,6	Frequently Asked Questions (Beta 2) ...	21:2,2-5
Outdoor Dry Bulb Temperature ...	25:5,9	COMIS: The Multizone Air Flow and Contaminant Transport Model for EnergyPlus ...	19:4, 8-15
Outside Building Temperature ...	25:5,6	DOE-2 and BLAST Unite!...16:4,1	
People Object ...	25:3,5	EnergyBase: The Best of DOE-2 and BLAST...17:3,28	
People Sensible vs Latent Load ...	25:1,6	EnergyPlus: A New-Generation Building Energy Simulation Program ...	20:1,2-13
People vs Latent Heat Gain ...	23:4,3-4	EnergyPlus Interoperability ...	22:4,2-3
PID Controlled Valve ...	24:2-4,6	EnergyPlus meets Bestest ...	21:4,2-8
Pump Fatal Error ...	25:1,9	EnergyPlus: The Merger of DOE-2 and BLAST...19:4,2	
Purchased Air ...	25:4,3	EnergyPlus User Group ...	22:3,2; 22:5,3
Purchased Air, Outlet Nodes	25:6,5	Heat Balance ...	17:1,32-35
Purchased Hot Water ...	24:2-4,6	Innovative use of EP in a new Federal Bldg...23:3,5	
Radiant Panels ...	25:5,8	International Weather Data for EnergyPlus ...	23:5,5-8
Radiation Data, EPW Weather Format ...	25:2,9		
Radiation Terms ...	25:5,4		

Interoperability ... 23:4,6  
Software Engineering in the "Best Of" Project...17:2,28-29  
Release of Version 1.0 ... 22:2,23  
Release of Version 1.0.1 ... 23:2,2-3  
Release of Version 1.1.1 ... 24:5,2-4  
University Course Teaching Materials ... 24:5,4  
Thermal Bridge Modeling in EnergyPlus ... 23:3, 14-26  
Weather Data ... 23:2,4

## **EZFrame**

EZFRAME (Calif Energy Comm) ...15:1,10-12

## **GenOpt, Generic Optimization Program**

GenOpt: Generic Optimization...19:2  
Release of Version 1.1 ... 21:3,13  
Release of Version 2.0 Beta ... 24:2-4,10  
"Design Optimization with GenOpt"... 21:5,19-28

## **INTEROPERABILITY**

Bild-IT Project ... 21:5,2-3  
BSPRO COM-Server ... 21:5,4-5  
Interoperability – Making Building Software Talk to Each Other ... 23:4,6

## **LIGHTING**

Lighting Design Lab ... 21:5,11

## **Microcomputer Programs**

### **DOE-2 Related**

A Minute Per Zone on PC's (MicroDOE2).11:1,2-4  
ADM-2 (2.1C)...7:2,6-9  
BDL Builder (MicroDOE2) (2.1E)...16:2,7-12  
CBIP Screening Tool ... 21:6,2-4  
CEC-DOE-DC Cal Compliance Tool...12:4,1,12-14  
Compare-IT from RLW Analytics...19:1,14-15; 19:2,18  
COMPLY-24 Cal Compliance Tool...12:2,2-6  
Demand Analyzer (DOE-Plus)...16:1,28-32  
DOE-2 on a PC (2.1A)...2:3,1-2  
DOE2-Parm, Parametric software ... we:3,4  
DOE-Plus Pre/Post-Proc (2.1D)...11:4,4-13; 13:2,54-56  
DoeRayMe screening tool application ... 22:5,9  
DrawBDL ...14:1,5-7, 14:4,16-17; 15:2,8; 16:1,37; 20:4,12  
D2E Conversion (MicroDOE2) (2.1E)...15:3,4-5  
E2BB (MicroDOE2) (2.1E)...16:4,7-8  
Energy Gauge USA ... 19:4, 16-18  
EnergyPro...18:2,2-7, 18:4,21  
Evaporative Cooling ...12:4,1  
EZDOE (from Elite Software) (2.1D)...14:2,10,14:4,8-14  
Graphs from DOE123 (2.1C,D)...10:3,5-7  
MICRO-DOE2 (2.1C)...7:4,2-3, 15:1,8-9  
PC-DOE Overview (2.1C)...7:2,2-3  
Perform 98 (2.1E) ... 21:1,3  
Perform 2001 (2.1E) ... 22:4,5  
PRC-DOE2 Description (2.1D)...13:4,11, 15:1,5  
PRC-Tools (2.1D)...14:2,9  
Quick Analysis of Outputs (2.1C,D)...10:2,7-12  
Quickee 1.0 (GeoPraxis) ... 20:2,11  
RESFEN-2.4...16:3,31; 16:4,1 17:1,14  
RESFEN-3.0...18:3,1-2  
RESFEN-3.1...20:2,7RIUSKA: 3-D Space Modeling with DOE-2.18:4,12  
RIUSKA and SMOG ... 20:3,2-5

Using PC-DOE (2.1C)...7:2,4-5  
VisualDOE (Eley Assoc) (2.1E)...15:2,10-18; 16:4,9-16;  
17:4,8-13  
VisualDOE 3.0 ... 20:2,12-14  
VISUALIZE-IT (2.1E)...17:2,2-6

### **EnergyPlus Related**

EzPlus PARM ... 23:3,4  
Draw EzPlus ... 23:3,4

### **Other**

ADELIN 1.0...16:3,6  
ADELIN 2.0...17:4,36-39  
BinMaker from GRI ...19:2,24  
BEST: B.C. Hydro's Interface to DOE-2 .18:2,10-16  
Building Design Advisor (BDA), Release 2.0... 21:4,12  
CIRA (2.1A)...3:2,2  
COMIS and EnergyPlus ... 19:4, 8-15  
CoolTools from PG&E ... 20:2,8-9  
Daylighting Design Tool Survey ...11:2,12-17; 12:3,19-24,  
14:2,2-8  
DesiCalc from GRI...19:2,15  
DesiCalc 2.0...22:5,12  
Desktop RADIANCE ... 20:3,7; 21:3,3-6  
Ecotect and EnergyPlus ... 24:6,2  
EZFRAME (Calif Energy Comm) ...15:1,10-12  
GenOpt: Generic Optimization ...19:2,12-14; 19:3,15;  
20:2,19; 20:3,22; 20:4,13  
PC Update (2.1C)...6:1,2  
PEAR (2.1C)...8:2,2  
PSYCHART 1.4...16:2,28  
SkyVision: Skylight Modeling Software ... 24:2-4,19  
SUPERLITE-2.0 (2.1C)...8:2,1, 17:1,14  
THERM...17:1,14  
THERM 2.0 ... 19:3,14; 20:3,14-17  
UMIDUS ... 20:4, 2-8  
WINDOW-2.0 (2.1C)...8:4,2-3  
WINDOW-3.1 (2.1C,D)...10:2,5-6  
WINDOW-4.1 (2.1E)...15:1,7, 15:2,31, 17:1,14  
WINDOW-4.1 Spectral Data...17:2,1  
WINDOW-5 Release ... 23:1,9  
WRISC (2.1)...1:2,4

**Newsletter Roundup ... 23:1,8**

**Optics 5.n .... 23:6,14**

### **PEAR**

PEAR (2.1C)...8:2,2

**RADIANCE (see Desktop RADIANCE)**

### **RESFEN**

RESFEN-2.4...16:3,31; 16:4,1 17:1,14  
RESFEN-3.0...18:3,1-2  
RESFEN-3.1...20:2,7

**Shading software ... 25:6,11**

**SPARK (see VisualSPARK)**

### **SUPERLITE**

SUPERLITE-2.0 (2.1C)...8:2,1, 17:1,14

**THERM 5.1 ... 23:6,14**

**UMIDUS (20:4,2-8)**

**Validation of DOE-2 (see DOE-2 Validation)**

**VisualSPARK**

- Beta Test Report ... 19:2,25
- Call for Beta Testers...16:4,36; 17:1,36, 17:2,36
- GUI Tutorial, Part 1 ... 22:1,2-15
- GUI Tutorial, Part 2 ... 22:3,3-12
- Release of Version 1.0 ... 21:5,1
- Release of Version 1.0.1 ... 23:1,2-3
- Release of Version 1.0.2 ... 23:3,27-29
- Release of Version 2.0 ... 24:2-4.2
- New Features in VisualSPARK 1.0.2 ... 23:5,2-4
- Primer...17:1,2-6
- SPARK ... 17:1,2-6
- SPARK Model Development ... 22:2,4-5
- SPARK Simulation Environment: A Non-Graphical Update...16:2,2-3

**Weather**

- Canadian Weather Files (CWEC) ... 24:6,6
- Canadian Weather Tapes (DOE-2.1E)...15:4,8,9
- Data for DOE-2 (DOE-2.1C)...7:4,9-14
- DOE-2 Validation: Daylighting Dimming and Energy Savings: The Effects of Window Orientation and Blinds...17:1,7-14
- DOE-2 Weather Processor (rewrite) ... 20:1,insert

- Does it Matter Which Weather Data You use in Energy Simulations?...18:1,2-12
- EnergySoft: Weather Files on a CD ...15:3,13
- Free Weather Data on Demand ... 24:2-4,10
- Has the Sun Set on Weather Data? ... 20:3,6-7
- International Weather Data for EnergyPlus ... 23:5,5-8
- Nonstandard Weather Data (DOE-2)...10:3,2-6
- Processor Update (DOE-2)...7:3,8-10
- Tapes (DOE-2)...1:1,17
- TMY/TMY2-Download from the WWW...17:1,1; 17:2,1
- TMY2 to TMY Converter ... 19:2,23
- TMY2 Weather for DOE-2...16:3,4-6
- WeatherMaker (Energy-10) ... 20:3,8-13 (
- Weather Data ... 23:2,4
- Weather Data, Discrepancy ... 25:3,4
- Weather:hour1 ... 23:3,3
- Weather, Manipulating Files ... 25:3,4
- Weather, Radiation Data/EPW ... 25:2,9
- Weather Utility Program (DOE-2)...7:3,10-12

**WINDOW**

- WINDOW-2.0 (2.1C)...8:4,2-3
- WINDOW-3.1 (2.1C,D)...10:2,5-6
- WINDOW-4.1 (2.1E)...15:1,7, 15:2,31, 17:1,14
- WINDOW-4.1 Spectral Data...17:2,1
- WINDOW-5.1 release ... 23:6,14

---

---

**How to contact us:**

**Simulation Research Group**

**MS: 90-3147**

**LAWRENCE BERKELEY NATIONAL LABORATORY**

**One Cyclotron Road**

**Berkeley, CA 94720-0001 U.S.A.**

**Fax: (510) 486-4089**

**Email: [KLEllington@lbl.gov](mailto:KLEllington@lbl.gov)**

**Web: <http://simulationresearch.lbl.gov/>**