

## Directory of Software and Services for EnergyPlus

Program Name	Description
EnergyPlus 2.1	Freely downloadable from <a href="http://www.energyplus.gov/">www.energyplus.gov/</a> Support -- <a href="mailto:EnergyPlus-Support@gard.com">mailto:EnergyPlus-Support@gard.com</a> Support Group -- <a href="http://groups.yahoo.com/group/EnergyPlus_Support">groups.yahoo.com/group/EnergyPlus_Support</a>

## EnergyPlus Tools, Interfaces and Utilities

### Utilities – Included with EnergyPlus – For creating, editing, and running input files.

Tool	Description
IDF Editor	For users who want a simple way of creating or editing EnergyPlus input data files (IDF), IDF Editor provides this service. Any EnergyPlus object may be viewed and edited using a spreadsheet-like grid. For inputs with several options, a list is provided. When a numeric input has a range of valid values, those values are displayed. It also automatically provides a list of object names when an object needs to be linked to another. By displaying all objects of the same kind next to each other in a grid, it is easy to see how inputs are different across the building. The IDF Editor outputs an EnergyPlus input file with proper syntax and comments to help the user understand the input values. In addition, the IDF Editor converts standard inch-pound units into SI units compatible with EnergyPlus.
EP-Launch	Provides a simpler alternative for running EnergyPlus than batch files. EP-Launch allows the user to select the input file directly or from a list of recent or sample files. It also allows easy selection for weather data files. After the EnergyPlus run completes, EP-Launch reports if any errors or warnings occurred. In addition, EP-Launch acts as a file manager for each run and can help open a text editor for any of the input and output files, opens spreadsheet for several results files, and starts up a viewer for the building drawing file.

## EnergyPlus Example File Generator

### Description

A Web-based service is available that creates and runs EnergyPlus input files for simple models of commercial buildings. The input files (and annual results summary files) are sent to your email address as attachments. This is a pilot project and is currently made available only as a BETA service. You can access the service and customize the characteristics of the building you want to model on the [EnergyPlus Example File Generator Application](#) (pop-ups must be enabled).

**Third Party Tools – To create, edit, and display input files.**

Vendor	Description
<p><a href="#">Joe Huang and Associates</a> 31 Sarah Lane Moraga CA 94556-2563 Ph: (925) 247-9180</p>	<p><b>DrawBDL+3.1</b> (<a href="http://www.drawbdl.com">www.drawbdl.com</a>) allows users to visually review the building geometry in both EnergyPlus and DOE-2 input files. DrawBDL can export the DOE-2 surface data in EnergyPlus IDF format; useful for those users who wish to convert their DOE-2 input files into EnergyPlus input files.</p>
<p><a href="#">The Deringer Group, Inc.</a> 1250 Addison Street Berkeley, CA 94702 Ph: (510) 843-9000 Fx: (510) 843-9300</p>	<p><b>EnergyPlus Online Simulations</b> are online tools embedded in the Deringer Group's <a href="#">EcoAdvisor</a>, a set of training modules on sustainable buildings. These tools can be used by anyone and require no special knowledge of EnergyPlus.</p> <p><b>EnergyPlus Interface Support Tools</b> This set of stand-alone Windows-based tools is intended to make the text-based use of EnergyPlus faster, easier, and more accurate. The tools assume that the user is somewhat familiar with typical text-based interfaces for energy simulations. So far there are two proof-of-concept tools.</p> <p><a href="#">DrawEzPlus</a> is a 3-D geometry rendering tool that displays the geometry imbedded in an EnergyPlus file. Users can toggle between line and surface (fill) presentation modes, and can select to draw any mix of key building objects — floor, walls, roof, windows, and attached and detached shading.</p> <p><a href="#">EzPlus-Parm</a> simplifies running multiple parametric EnergyPlus simulations. EzPlus-Parm helps a user to organize and edit all needed files. Their EcoAdvisor product also uses EnergyPlus to perform web-based building energy simulations.</p>
<p><a href="#">GeoPraxis, Inc.</a> 205 Keller Street, Suite 202 Petaluma, California 94952 Ph: (707) 766-7010 Voice Fx: (707) 766-7014 Fax</p>	<p><b>Green Building Studio</b> is a web-based service provided by GeoPraxis, Inc . which gives 3D-CAD users quick, reliable, and free estimates of a building's energy costs during the early stages of conceptual design. Green Building Studio is powered by GeoPraxis' IDEA Server building energy simulation management software that incorporates DOE-2 and EnergyPlus into this solution. Key to the integrated interoperability exhibited in GBS-compliant 3D-CAD applications is the Green Building XML schema (gbXML), an open XML schema of the International Alliance of Interoperability's aecXML Group. Green Building Studio creates an EnergyPlus IDF file.</p>
<p><a href="#">Taylor Systems Enrg, Inc.</a> 9801 Fair Oaks Blvd., Suite 100 Fair Oaks, CA. 95628 Ph: (916) 961-3400 Fx: (916) 961-3410</p>	<p><b>TSe+</b>, the first of a suite of tools to manage data for EnergyPlus is now available free of charge from Taylor Systems Engineering. TSe+Mat provides an interface to the materials datasets that come bundled with EnergyPlus and allows the user to add them to a personal database to maintain and modify for later use. Future tools under development include TSe+MatGlz (for materials and glazings) and TSe+Con (for constructions).</p>

## Creating EnergyPlus input files

Vendor	Description
<b>EP-QUICK</b> <a href="#">Jason Glazer, Glazer Software</a> <a href="http://www.glazersoftware.com">www.glazersoftware.com</a>	EP-Quick is an easy-to-use program that creates an EnergyPlus input file for a building, without HVAC, using simple templates for the shape and zone layout. EP-Quick is not a full interface for EnergyPlus but simply a way to generate input files quickly.
<b>ESP-r</b>	In keeping with the philosophy of linking the <a href="#">ESP-r simulation suite</a> to other modelling systems, users can now export to EnergyPlus an ESP-r model with materials, constructions, surfaces (all three and four sided surfaces as well as those including one window or one door - more complex surfaces are currently filtered out) and solar shading devices. Boundary condition attributes are translated and the parent/child relationship between opaque and transparent surfaces established. The exported models usually pass the EnergyPlus parser with no errors or with minor warnings. Currently, approximate optical properties are established and schedules are not yet included. We anticipate updating the geometric filters to match the current EnergyPlus release as well as including casual gain schedules in the near future. Those wishing more information about ESP-r or to download the standard distribution can go to <a href="http://www.esru.strath.ac.uk/Programs/ESP-r.htm">www.esru.strath.ac.uk/Programs/ESP-r.htm</a> Those wishing more information about the capabilities of ESP-r can go to <a href="http://www.esru.strath.ac.uk/Programs/ESP-r_capabilities/index.html">www.esru.strath.ac.uk/Programs/ESP-r_capabilities/index.html</a>
<b>NaturalWorks</b>  <a href="#">Paul F. Linden</a> (San Diego, CA) <a href="mailto:pfl@natural-works.com">pfl@natural-works.com</a>  <a href="#">Guilherme Carrilho da Graça</a> (Lisbon, Portugal) <a href="mailto:gcg@natural-works.com">gcg@natural-works.com</a>	<b>EP_GEO and EP_SYS</b> NaturalWorks has developed two spreadsheet-based interfaces that can complement the simple interface tools that are included in the standard EnergyPlus installation. <b>EP_GEO</b> (building geometry) - A spreadsheet that uses a set of simple macros to create rectangular building geometry, windows, shading, infiltration, internal gains and temperature control (using 'purchased air'). Rectangular zones can be automatically created in an idf file by simply entering zone height, width and length. An offset in zone origin can be used to insert multiple zones in an existing file. <b>EP_SYS</b> (systems) - This spreadsheet allows for creation of Purchased Air, Fan Coil And Variable air Volume systems in a large number of zones. The list of zones in an existing IDF file can be automatically imported and individual zones selected for insertion of one of the three basic types of systems available in the tool.
<b>Square One Research</b> Square One <i>research</i> Pty Ltd PO Box 1003 Joondalup, WA 6919 Australia	<a href="#">ECOTECH</a> from Square One couples an intuitive 3D design interface with a comprehensive set of performance analysis functions (visualization, solar and daylighting analysis, shadows and shading, lighting design, thermal performance, UK building regulations, ventilation, and acoustic analysis) with interactive information displays. It also can export an EnergyPlus IDF file. For more details, click <a href="#">here</a> for an article from the Building Energy Simulation User News.
<b>Interoperable HVAC Input Tool (IHIT)</b> <b>Barry O'Sullivan</b> <a href="http://www.ucc.ie/iruse/barry-cw.html">http://www.ucc.ie/iruse/barry-cw.html</a>	The Interoperable HVAC Input Tool ( <a href="#">IHIT</a> ) is one of many interoperable software tools being developed by the <a href="#">IRUSE</a> research group at the National University of Ireland Cork. IHIT is a HVAC system design tool that allows a building design engineer to create HVAC system information for energy simulation in a context-sensitive format. The building designer creates the energy simulation HVAC model using ISO standard HVAC symbols/icons. IHIT continuously validates the underlying model and automatically outputs the model configuration in EnergyPlus IDF format and IFC neutral file format.

## Interfaces for EnergyPlus

Vendor	Description
<p><b>DesignBuilder Software, Ltd.</b>                      In the United Kingdom:  <a href="http://www.designbuilder.co.uk/">www.designbuilder.co.uk/</a>                      In the United States:  <a href="http://www.designbuildersoftware.com/">www.designbuildersoftware.com/</a></p>	<p><b>DesignBuilder</b> provides a range of environmental performance data such as: annual energy consumption, maximum summertime temperatures and detailed feedback on temperatures and heat flows in the building. <b>DesignBuilder</b> provides an interface to the latest EnergyPlus version for envelope, solar, ventilation and daylighting capabilities as well as heating and cooling load modeling. The software comes with summer and winter design data for 1439 worldwide locations and has access to more than 500 hourly simulation weather files.</p>
<p><b>E2AC</b></p>	<p><b>E2AC — A Brazilian interface for the EnergyPlus program</b>  <a href="#">E2AC</a> is a simplified interface for the EnergyPlus program which allows the simulation of 'shoe box' models with or without air conditioning systems. The interface is under development by the LabEEE team (Energy Efficiency in Buildings Laboratory) at Federal University of Santa Catarina, Brazil. The current version (2.0 beta) is the first to be publicly available. Currently available only in Portuguese, it was developed to promote the use of EnergyPlus in Brazil. (An English version is under development.) E2AC has a library with typical Brazilian constructions and materials, and a template of a direct expansion air conditioner system (window mounted system). E2AC currently comes with hourly weather files and design days for 14 Brazilian cities. Through this interface, the user can simulate — in a few minutes — a single zone model and tests the effect of alternatives for envelope, internal loads density, schedules, set-point temperatures, and system capacities and efficiencies. E2AC allows the user to save several alternatives of a model in a single data file. Each alternative can be simulated directly from the interface. E2AC generates the EnergyPlus input data file (IDF) and executes EnergyPlus. NOTE: In order to run the simulation from the interface, it is necessary to install the current version of EnergyPlus on the user's computer. Output reports can be visualized through graphs plotted by the program. As this is a beta version, it will be expected that some bugs may be detected in the interface. Any problem or question can be reported to the <a href="#">LabEEE through e-mail</a>. The program is under development and new features will be implemented soon, such as multi-zone and multi-floor building modeling. Website of the program: <a href="http://www.labeee.ufsc.br/edois/e2ac.html">http://www.labeee.ufsc.br/edois/e2ac.html</a></p>
<p><b>E+IEQ</b></p>	<p><a href="#">E+IEQ</a>, being developed by Taitem Engineering, focuses on the energy and indoor environmental quality tradeoffs of building design. E+IEQ will feature 'smart defaults', wizards and customizable component libraries to speed data entry. Interface capabilities are planned to be gradually expanded to cover the broader scope of EnergyPlus. A first E+IEQ beta version is planned in 2005. If interested in being notified when the beta version becomes available, please send email to <a href="mailto:EPlusIEQ@taitem.com">EPlusIEQ@taitem.com</a>.</p>
<p><b>E-FEN</b>                      Charlie Curcija, Ph.D.                      Mahabir Bhandari, Ph.D.,  <a href="#">DesignBuilder Software</a>                      18 Tanglewood Rd, Amherst, MA                      01002, Tel: 413-256-4647</p>	<p><a href="#">EFEN</a> is an energy simulation program designed for analyzing energy impacts and cost effectiveness of fenestration systems in various commercial and high-rise residential buildings. The program incorporates a user-friendly graphical user interface (GUI) and enables quick and effective parametric analysis of different fenestration systems. EFEN utilizes the EnergyPlus simulation engine to perform building energy consumption analysis. The main feature of the program is that it incorporates several pre-defined default commercial building types with typical construction, interior loads, operating schedules, and HVAC system configurations, such that users can quickly develop an energy models of a building.</p>
<p><a href="#">EPlusInterface</a>   <a href="#">Contact Santosh Philip</a></p>	<p><b>EPlusInterface</b> is an open source initiative to develop a comprehensive interface for EnergyPlus. The code is <b>free</b> for anyone to use. The license is GPL. Modules currently under development are listed below; a few are ready to use. For latest downloads and status check <a href="http://www.coolshadow.com/EPlusInterface/">http://www.coolshadow.com/EPlusInterface/</a></p>

### Interfaces for EnergyPlus (continued)

<p><b>Hevacomp Design Simulation</b> United Kingdom</p> <p><a href="http://www.hevacomp.com/">http://www.hevacomp.com/</a></p>	<p>With Hevacomp Design Simulation, a building is set up by tracing around the internal perimeter of each room, adjacent surfaces are automatically detected as partitions. Databases of constructional elements are used. An extensive roof and floor modelling program is available, which enables simple or complex roofs to be traced from DXF files. Walls and partitions are automatically trimmed vertically to fit the roof, rooms above and below target rooms are detected. This enables a full 3D model to be produced for little more effort than a simple 2D tracing. Once the building has been set up, building simulation, linking to EnergyPlus, can be carried out to examine room heat losses and gains, summer overheating, peak design months, overheating frequency and building energy. The package will also produce 3D external shading graphics and internal solar penetration graphics, showing moving sunshine patches within rooms.</p>
<p><b>Solar Shoe Box</b></p> <p><a href="http://www.archiphysics.com">http://www.archiphysics.com</a></p>	<p>The <a href="#">Solar Shoe Box</a> creates a rectangular model (shoe box) of a direct gain passive solar building. SolarShoeBox (basically a graphical text editor) has a OpenGL modeler and interfaces with EnergyPlus. SolarShoeBox runs on both Windows and Macintosh (Universal). If you do not yet have the Mac version of EnergyPlus, SolarShoe Box will create an IDF that you can transfer to Windows to run in EnergyPlus. If you download and use the program, please send your comments to <a href="mailto:troy@archiphysics.com">troy@archiphysics.com</a></p>
<p><b>xEsoView</b></p> <p><a href="http://xesoview.sourceforge.net/">http://xesoview.sourceforge.net/</a></p>	<p><a href="#">xEsoView</a>, an open source file viewer for EnergyPlus eso files, gives the user a very fast overview of the simulation results. The program lists all reported variable names, which can then be sorted and filtered. At the same time, it shows the graphical representation of the selected variable. The time axis can be changed using predefined ranges but xEsoView also supports zooming. With a selection box you can switch between the available environments, e.g. summer design day and run-period.</p>

### Building Geometry – Translate building geometry from CAD into EnergyPlus IDF Input

Vendor	Description
<p><b>IFCtoIDF</b></p> <p><a href="http://www.eere.energy.gov/buildings/energyplus/interoperability.html">http://www.eere.energy.gov/buildings/energyplus/interoperability.html</a></p>	<p>IFCtoIDF utility is still in beta testing. This utility, along with the BSPro COM-Server and several other software tools have been officially certified by the IAI as being compliant with IFC Releases 1.5.1 and 2.0 and are in the process of certification for Release IFC 2x. However, this does not mean that the utility is capable of seamlessly importing all data required for an EnergyPlus simulation from an IFC data file. The utility focuses on geometry only at this point.</p>

*Disclaimer: The Building Energy Simulation User News was prepared as an account of work sponsored by the United States Government (USG). While this document is believed to contain correct information, neither the USG nor any agency thereof, nor the Regents of the University of California (RUC), nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process or service by its trade name, trademark, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the USG or any agency thereof, or the RUC. The views and opinions of authors expressed herein do not necessarily state or reflect those of the USG or any agency thereof or of the Regents of the University of California*

**International EnergyPlus CONSULTANTS**

<b>Australia</b>			
<a href="#">Jeff Binks</a> mobile:	<a href="#">Enerdata Pty Ltd</a>	Mobile +61 (0)418 677 640	17 Dorado Beach Cres Connolly WA 6027 Tel: +61 (0)8 9300 5067
<a href="#">Peter Lyons</a>	Peter Lyons & Associates / <a href="#">fenestralia.com</a>	24 Bellinger Crescent Kaleen ACT 2617	Tel: +61 (2) 6223 7109
<b>Brazil</b>			
<a href="#">Fernando Simon Westphal, Dr. Eng.</a>	<a href="#">TechnoBuild Engineering and Consulting</a>	Florianópolis, Brazil	Tel and fax: +55 (48) 33254-6261
<a href="#">Alberto Hernandez Neto</a> cell +11 8187 1671	Escola Politecnica da USP (Mech Engrg) Av. Prof. Mello Moraes, 2231	CEP:05508-900 Sao Paulo SP - Brazil	Tel: +11 3091 9672 Fax: +11 3813 1886
<a href="#">Paulo Otto Beyer, Dr. Eng.</a>	<a href="#">UFRGS, Mechanical Engineering Dept.</a>	Porto Alegre - RS, Brasil	Tel.: +55(51)33083167
<a href="#">Ana Paula Melo</a>	Universidade Federal de Santa Catarina	Campus Univ – 88040-900 Florianopolis, SC	Tel.: +55(48)37215184
<b>Greece</b>			
<a href="#">Simos Oxizidis</a>	<a href="#">LHTEE (Mech Engrg)</a>	Aristotle University of Thessaloniki (AUTH)	Tel: +30 2310 996048, Fax: +30 2310 996012
<b>Hong Kong</b>			
<a href="#">Dr. Jianlei Niu, BEng, MSc(Eng), Ph.D.</a> , MASHRAE, CEng, MCIBSE, MHKIE, Associate Professor, Director,	Research Center for Building Environmental Engineering, Department of Building Services Engineering, Rm FJ707,	Hong Kong Polytechnic University, Hunghom, Kowloon, Hong Kong,	Tel: (852) 2766 7781, Fax: (852) 2774 6146
<b>India</b>			
<a href="#">Dr. Vishal Garg,</a>	<a href="#">International Institute of Information Technology (IIIT),</a>	Gachibowli, Hyderabad (AP) 500032, India.	Mobile: +91 9949990900,, Fax: +91 40 23001413
<a href="#">Dr.-Ing Jyotirmay Mathur,</a>	Mechanical Engineering Department, Malaviya National Institute of Technology,	J.L.N. Marg, Jaipur -302 017, India.	Tel: +91-141-2702708 (0)
<a href="#">Dr. Inderjeet Singh,</a>	<a href="#">Suzlon Energy Limited,</a>	D-33 Defence Colony, New Delhi 110024, India.	Tel: +91 11 2465 5141 to 43, Fax: +91 11 2465 5144,
<b>Israel</b>			
<a href="#">Eng. MSc. Itamar Goldberger,</a> Civil Engr.	p.o.b 204, Elazar, Gush Etzion.	Israel 90942	Tel: 972-02-9933798
<b>Korea</b>			
<a href="#">Hyeun Jun Moon, Ph.D. LEED</a>	<a href="#">Dankook Univ/Dept of Arch Engrg</a>	San 8, Hannam, Yongsan, Seoul, Korea	Cell: 82-10-7109-4449
<b>Malaysia</b>			
<a href="#">Ooi Koon Beng,</a> (alt: <a href="#">Alt: Ooi Koon Beng,</a> ),	Swinburne University of Technology	93576 Kuching, Sarawak, Malaysia.	Tel: +6082-416353 ext 607
<b>Portugal</b>			
<a href="#">Guilherme Carrilho da Graça</a>	<a href="#">Natural Works - Consultants</a>	Lisbon, Portugal	
<a href="#">Alexandre Varela, Eng. Mecânico</a> <a href="#">Emanuel Silva Sá</a> , Porto, Portugal, Tel: +351 916 032 963	<a href="#">Edifícios Saudáveis Consultores,</a>	Rua de Salazares, 842, 4100-442, Porto, Portugal.	Tel.: +351 22 532 2000,
<b>Serbia and Montenegro</b>			
<a href="#">Prof. Milorad Bojic, Ph.d. Dr.Tech.Sci.</a> <a href="#">MASHRAE,</a>	Mechanical Engineering, Department of Energy and Process Engineering,	U of Kragujevac, Sestre Janjic 6, 34000 Kragujevac, Serbia and Montenegro,	Tel/Fax: +381-34-330-196
<b>Spain</b>			
<a href="#">Miguel Ángel Pascual Buisan,</a>	<a href="#">MIYABI espacios urbanos bioclimáticos,</a>	Leyre 11 bis, 1°C 31002 Pamplona, Espana	Tel: 948 20 36 44, Fax: 948 20 78 60

**U. S. EnergyPlus CONSULTANTS**

<b>California</b>					
Steven Konopacki	<a href="mailto:sikonopacki@yahoo.com">sikonopacki@yahoo.com</a>	2315 Ward Street	Berkeley 94705	(510) 207-9649	
<a href="#">Wayne Seward, CEA</a>	<a href="#">Bear Technologys</a>	7774 Calle Mejor	Carlsbad 92009	(760) 635-2327	
<a href="#">Cliff Gustafson</a>	<a href="#">Taylor Systems Engrg., Inc.</a>	9801 Fair Oaks Blvd, #100	Fair Oaks 95628	(916) 961-3400	
<a href="#">Paul F. Linden</a>	<a href="mailto:pfl@natural-works.com">pfl@natural-works.com</a>	<a href="#">Natural Works - Consultants</a>	San Diego		
<a href="#">Tianzhen Hong, Ph.D., P.E.</a>	<a href="#">Architectural Energy Corporation</a>	142 Minna Street	San Francisco 94105	(415) 957-1977	
John Kennedy	Green Building Studio, Inc.	444-10 <sup>th</sup> Street #300	Santa Rosa 95401	(707) 569-7313	
<b>Colorado</b>					
<a href="#">Gregory B. Stark, P.E. LEED AP</a>	<a href="#">Building Synergies, LLC</a>	1860 Washington Street #208	Denver 80203	(720) 249-2608	
<b>Georgia</b>					
<a href="#">Mate Thitisawat</a>	<a href="#">Dept of Architecture</a>	Georgia Institute of Tech	Atlanta 30309	(404) 385-4677	
<b>Illinois</b>					
<a href="#">Erik Olsen</a>	OWP/P Engineers -- <a href="http://www.owpp.com">www.owpp.com</a>	111 West Washington Street	Chicago 60602	(312) 960-8313	
<a href="#">Jason Glazer</a> -	GARD Analytics -- <a href="http://www.gard.com">www.gard.com</a>	1028 Busse Highway	Park Ridge 60068	(847) 698-5686	
<a href="#">Michael J. Witte, Ph.D.</a>	GARD Analytics -- <a href="http://www.gard.com">www.gard.com</a>	1028 Busse Highway	Park Ridge 60068	(847) 698-5685	
<a href="#">David S. Eldridge, Jr., LEED</a>	<a href="#">Grumman/Butkus Associates</a>	820 Davis Street #300	Evanston 60201	(847) 328-3555	
<a href="#">Pongsak Chaisupparasmikul Ph.D</a>	<a href="#">Illinois Institute of Technology</a>	3140 S Michigan Ave., #604	Chicago 60616-3807	(312) 225-4610	
<b>Massachusetts</b>					
Charlie Curcija, Ph.D., Mahabir Bhandari, Ph.D.	<a href="#">DesignBuilder Software</a>	18 Tanglewood Rd	Amherst 01002	(413) 256-4647	
<b>Michigan</b>					
<a href="#">Oscar R. D. Smith, PE, CEM</a>	Energy Modeliing and Analysis	5208 Clarendon Crest Ct	Bloomfield Hills 48302	(248) 855-6308	
<b>Minnesota</b>					
<a href="#">Richard Hermans, PE</a>	<a href="#">The Center for Energy and Environment</a>	212 Third Ave North, # 560	Minneapolis 55401	(612) 335-5840	
<a href="#">Tom McDougall</a>	<a href="#">The Weidt Group</a>	5800 Baker Road	Minnetonka 55345	(952) 938-1588	
<a href="#">Daniel A. Katzenberger, P.E. LEED-AP</a>	<a href="#">Engineering, Energy, and the Environment, LLC</a>	420 N. 5 <sup>th</sup> St. #305	Minneapolis 55401	(612) 327-4210	
<b>New York</b>					
<a href="#">Alexander MacFarlane</a> -- Residential Projects	Community Environmental Center, Inc.	43-10 11 <sup>th</sup> Street	Long Island City 11101	(718) 784-8347	
<a href="#">Chris Balbach</a>	Performance Systems Development,	124 Brindley St., Suite 4	Ithaca 14850	(607) 277-6240	
<a href="#">Neville Burrows, P.E., LEED</a>	EME Group <a href="http://www.emegroup.com">www.emegroup.com</a>	159 West 25 <sup>th</sup> Street, 5 <sup>th</sup> Floor	New York 10001	(212) 529-5969	
<a href="#">Julien LaFond</a> -- Commercial and Industrial Projects	Altanova LLC	700 Fort Washington Ave. 1C	New York 10040	(718) 784-1444	
<b>North Carolina</b>					
<a href="#">Derrick Giles</a> , Energy Manager	<a href="#">ENPULSE Energy Conservation, Inc.</a>	100 N. Elm Street, #138,	Greensboro 27401	(336) 370-1088	
<a href="#">Hank Jackson, P.E.</a>	ETech Solutions	P.O. Box 2355	Weaverville 28787	(336) 691-0785	
<b>Ohio</b>					
<a href="#">Zachary M. Albright</a>	<a href="#">Jacco</a>				
<b>Utah</b>					
<a href="#">Troy Harvey</a>	<a href="#">HelioCentric</a>	7875 DaVinci Drive	Salt Lake City 84121	(801) 453-9434	
Ray L. Worthen, P.E.	<a href="mailto:ray.worthen@hill.af.mil">ray.worthen@hill.af.mil</a>	5208 W. Frontier	Morgan 84050		

## Directory of Software and Services for DOE-2

### ESTSC Versions of DOE-2

Program Name and Vendor	Description
<b>DOE-2.1E (Ed Kidd, Kim Buckner)</b> <a href="mailto:estsc@adonis.osti.gov">estsc@adonis.osti.gov</a> ESTSC P.O. Box 1020 Oak Ridge, TN 37831-1020 Ph: 865-576-2606 / Fx: 576-2865 <a href="http://www.osti.gov/estsc">www.osti.gov/estsc</a>	Source code, executable code and complete current documentation for:  DOE-2.1E/Version 124  OS: Windows, SUN UNIX/LINUX

### Commercial Versions of DOE-2

Program Name and Vendor	Description
<b>ADM-DOE-2 (Richard Burkhardt)</b> ADM Associates 3239 Ramos Circle Sacramento, CA 95827-2501 Ph: 916-363-8383 / Fx: 363-1788 <a href="http://www.adm-energy.com/">www.adm-energy.com/</a>	Use on 386/486 PCs with a math co-processor and 4MB of RAM. The package contains everything needed to run the program: program files, utilities, sample input files, and weather files. More than 300 weather files available. OS: DOS, Windows 95
<b>Compare-IT (Matt Brost)</b> RLW Analytics, Inc. <a href="mailto:info@rlw.com">info@rlw.com</a> 1055 Broadway, Suite G Sonoma, CA 95476 Ph: 707-939-8823 / Fx: 939-9218 <a href="http://www.rlw.com">www.rlw.com</a>	Compare-IT allows DOE-2 professionals to add value to their projects by giving clients "what-if" scenarios using DOE-2. The interface is designed for novice energy analysts and the GUI can be customized for each client's particular interests. Based DOE-2.1E. OS: DOS, Windows (98, 95, NT)
<b>EnergyPro 3.0 (D. Vonderkullen)</b> <a href="http://EnergySoft LLC">EnergySoft LLC</a> 1025-5 <sup>th</sup> Street, Suite A Novato, CA 94945 Ph: 415.897.6400 / Fx: 897-6422	Nonresidential load calculations for HVAC equipment sizing. Exports forms to AutoCad for inclusion on blueprints. On-line help. 344 weather files for the U.S. and Canada. OS: DOS, Windows (95, NT). <b>For California Users:</b> Performs Title 24 compliance calculations; state-certified HVAC and DHW Equipment directories, Title 24 lighting calculations. Based on DOE-2.1E

### Commercial Versions of DOE-2 -- Continued

<p><b>EZDOE</b>            (<a href="#">Bill Smith</a>)  <a href="#">Elite Software</a>                  P.O. Box 1194                  Bryan, TX 77806                  Ph: 409-846-2340 / Fx: 846-4367</p>	<p>Provides full screen, fill-in-the-blank data entry, dynamic error checking, context-sensitive help, mouse support, graphic reports, a 750-page user manual, and extensive weather data. Full implementation of DOE-2 on DOS-based 386 and higher computers. On-line help. Some weather files. Based on DOE-2.1E. DOS</p>
<p><b>FTI/DOE2</b>        (<a href="#">Scott Henderson</a>)  <a href="#">Finite Technologies Inc.</a>                  3763 Image Drive                  Anchorage, Alaska 99504                  Ph: 907-333-8937 / Fx: 333-4482</p>	<p>Version 3.0 Release -- FTI/DOE is 100% compatible with LBNL version. Source code versions will compile with most F77-compliant compilers. On-line help: 344 weather files for the U.S. and Canada. Based on ESTSC DOE-2.1E. No demo, 30-day trial period                  OS: DOS, Windows (3.x, 95, NT) AIX, ULTRIX, VMS, Linux, NeXTStep,</p>
<p><b>VisualDOE 4.0</b>    (<a href="#">Eric Kolderup</a>)  <a href="#">Architectural Energy Corporation</a>                  142 Minna Street (2<sup>nd</sup> floor)                  San Francisco, CA 94105                  Ph: 415-957-1977 / Fax 1381</p>	<p>Fast construction of building geometry with pre-defined blocks and drawing interface. Import zone shapes from CADD file (dxf). Point+click to define zone properties and HVAC systems. Dynamic 3-D model views. Online help. LiveUpdate through internet. 400+ US, foreign weather files. OS: Windows 95/98/NT/ME/2000/XP</p>

Note: We list third-party DOE-2-related products and services for the convenience of program users, with the understanding that the Simulation Research Group does not have the resources to check the DOE-2 program adaptations and utilities for accuracy or reliability.

### Support Tools for DOE-2

Program Name and Vendor	Description
<p><b>DOE-2 Parametric Study Tool</b>  <a href="#">The Deringer Group, Inc.</a>                  1250 Addison Street                  Berkeley, CA 94702                  Ph: (510) 843-9000, Fx: 843-9300</p>	<p>DOE2PARM – is an MS Windows-based tool that permits you to run, edit and link all the related input and output files together in the same window.                  !</p>
<p><b>DoeRayMe</b>        (<a href="#">Jason Glazer, P.E.</a>)                  GARD Analytics                  1028 Busse Highway                  Park Ridge, Illinois 60068-1802</p>	<p>DoeRayMe is a simple and flexible user interface for DOE-2 “screening tool” applications. DoeRayMe uses a specially developed DOE-2 input template to change the user interface. This allows new “screening tools” to be developed by anyone with DOE-2 knowledge. Ph: 847-698-5690</p>

**Support Tools for DOE-2 (continued)**

Program Name and Vendor	Description
<p><a href="#">DrawBDL</a>     <a href="#">Joe Huang &amp; Associates</a>                      31 Sarah Lane                      Moraga CA 94556-2563                      Ph: 925-247-9180</p>	<p>DrawBDL, Version 3.0, is a graphic debugging and drawing tool for DOE-2 building geometry. DrawBDL reads your BDL input and makes a rotate-able 3-D drawing of your building with walls, windows, and building shades shown in different colors for easy identification. OS: DOS, Windows (3.1, 95, 98, NT) [Works with 2.1E] : <a href="mailto:joe@drawbdl.com">joe@drawbdl.com</a></p>
<p><a href="#">GreenBuildingStudio</a>     John F. Kennedy                      444 10th Street, Suite 300                      Santa Rosa, CA 95401                      707.569.7373 x100 v, fax 569.7313</p>	<p>Green Building Studio is a web-based service provided by GeoPraxis, Inc. It gives 3-D CAD users quick, reliable, and free estimates of a building's energy costs during the early stages of conceptual design using DOE-2.</p>
<p><b>RIUSKA</b>     (<a href="#">Tuomas Laine</a>)  <a href="#">Olof Granlund Oy</a>                      P O Box 59 Helsinki, FIN-00701, Finland                      Ph: +358 (9) 351031 / Fx: 35103421</p>	<p>With RIUSKA user can add building envelope materials, internal loads and HVAC-system into the created 3D-model of the building and perform thermal calculations. RIUSKA can be used for space simulations to dimension cooling or heating equipments, or for energy calculations of the whole building.                      OS: Windows (95, 98, NT) [Works with 2.1E]</p>

**Special Versions of DOE-2**

Program Name and Vendor	Description
<p><b>Building Energy Analyzer</b>                      InterEnergy Software                      1700 South Mount Prospect Road                      Des Plaines, IL 60018  <a href="http://www.interenergysoftware.com">www.interenergysoftware.com</a></p>	<p><u>Building Energy Analyzer</u> - Easy to use software provides quick economic analysis for commercial and industrial building; allows users to compare energy options and to estimate energy loads and costs. <u>BinMaker PRO</u> - Weather data for engineering. <u>DesiCalc</u> - Software for screening desiccant dehumidification/cooling applications; allows users to easily run hour-by-hour simulations to compare the energy needs and costs of using desiccant-based equipment with those of competing electric air-conditioning equipment.</p>
<p><a href="#">Energy Gauge USA</a>     (<b>D. Parker</b>)                      Florida Solar Energy Center                      1679 Clearlake Road                      Cocoa, FL 32922</p>	<p><i>Energy Gauge USA</i> allows the simple calculation and rating of residential building energy use in the US. The simulation calculates a six-zone model of the residence (conditioned zone, attic, crawlspace, basement, garage and sunspace) with the various buffered spaces linked to the interior as appropriate. TMY weather data for the program are available for 239 US locations.</p>
<p><b>Home Energy Saver</b>                      (Residential DOE-2) <a href="http://hes.lbl.gov">hes.lbl.gov</a></p>	<p>Calculation of residential energy consumption using DOE-2.1E. In 10-20 seconds, the program performs a full annual simulation for a typical weather year (involving 8760 hourly calculations) from 239 locations around the United States.</p>
<p><a href="#">RESFEN-5.0</a>                      Building Technologies, MS 90-3111                      Lawrence Berkeley Laboratory                      Berkeley, CA 94720</p>	<p>RESFEN calculates the energy and cost implications of a building's windows and insulated walls. Also compares the relative energy and cost impacts of two different windows. RESFEN calculates the heating and cooling energy use and associated costs, also the peak heating and cooling demand for specific window products. [Based on DOE-2.1E] OS: Windows 95, 98, NT</p>

Special Versions of DOE-2 (continued)

Program Name and Vendor	Description
<b>GeoPraxis</b> P.O. Box 5 Sonoma, California 95476 (707) 280-1529, fax 933-8477 Thomas P. Conlon, President <a href="mailto:tconlon@geopraxis.com">tconlon@geopraxis.com</a>	Energy Checkup for Homes <a href="http://www.geopraxis.com/">http://www.geopraxis.com/</a> EnergyCheckup, A Service Provided by <a href="http://www.geopraxis.com/">GeoPraxis, Inc.</a> , was developed in 1999 in partnership with one of the largest home inspection companies in the country, <a href="http://www.inspectech.com/">Inspectech</a> , a Service of LandAmerica. In 2002, GeoPraxis took over management of EnergyCheckup, continuing to serve Inspectech and independent inspectors alike. Since inception, EnergyCheckup has performed over 27,000 inspections throughout California.
<b>e-Calc</b> <a href="http://ecalc.tamu.edu/">http://ecalc.tamu.edu/</a> Texas A&M University	eCalc is a web based calculator allowing Government and Building industry users to design and evaluate a wide range of projects for energy savings and emissions reduction potential.

**INTERNATIONAL DOE-2 ENERGY CONSULTANTS**

**Australia and Australasia**

P. C. Thomas, Director, Team Catalyst, 67 Heig Street, Matoubra NSW 2035, Australia, [pcthomas@teamcatalyst.com.au](mailto:pcthomas@teamcatalyst.com.au) -- +0417 405 478  
 Murray Mason, ACADS BSG, 18 High Street, Glen Iris, VIC. 3146, Australia / Tel: +61 39 885 6586 / Fax: +61 39 885 5974

**Brazil**

Prof. Roberto Lamberts, Universidade Federal de Santa Catarina, Campus Universitario-Trindade, Cx. Postal 476, 88049-900 Florianopolis SC, BRASIL  
[lamberts@ecv.ufsc.br](mailto:lamberts@ecv.ufsc.br) / Tel: +55 48 331 9272/ Fax: +55 48 331 9770  
 Antonio Westenberger, Av. Angelica, 672 - 12o.and. - Cj.A, 01228-000 Sao Paulo - SP Brazil -- Web site: [www.3abr.net](http://www.3abr.net) -- Phone: (55-11)3825-6640  
 E-mail: [antonio.westenberger@3abr.net](mailto:antonio.westenberger@3abr.net)

**Canada**

Curt Hepting, P.Eng. EnerSys Analytics, 2989 Delahaye Drive, Coquitlam, B.C. V3B 6Y9 Canada [mailto:chepting@enersys.ca](mailto:mailto:chepting@enersys.ca), <http://www.enersys.bc.ca/homepage>  
 Tel: (604) 552-0700 / Fax (604) 552-0713  
 Dejan Radoicic, Dejan Radoicic, P. Eng., LEED AP, STANTEC, 1100 - 111 Dunsmuir Street, Vancouver BC V6B 6A3 Canada. Tel: (604) 696-8075 / Fax: (604) 696-8100, email [dejan.radoicic@stantec.com](mailto:dejan.radoicic@stantec.com)  
 Neil A. Caldwell, PE, Ameresco Canada, Inc., 1060 - 401 West Georgia St., Vancouver, BC V6B 5A1 Canada ,Tel (604) 684-4984 / Fax (604) 684-4985  
[mailto:ncaldwell@ameresco.com](mailto:mailto:ncaldwell@ameresco.com)  
 Dr. Stephane Bilodeau, PE, President, Groupe Enerstat, Inc., 125 Turgeon Street, Bromptonville (Quebec), J0B 1H0 CANADA. Tel (819) 846-1040 / fax (819) 846-4036. [sbilodeau@groupeenerstat.com](mailto:sbilodeau@groupeenerstat.com), [www.groupeenerstat.com/en/profil](http://www.groupeenerstat.com/en/profil)  
 Gordon Shymko, G.F. Shymko & Associates, Inc., 129 Evergreen Crescent S.W., Calgary, Alberta T2Y 3R2, Canada, [mailto:gfsnymko@home.com](mailto:mailto:gfsnymko@home.com), Tel: (403) 254-4776, Fax: (403) 254-4795  
 Michael Wilson, P.Eng. Enerficiency Consulting, 455 Elphinstone Ave., Gibsons, BC, Canada V0N 1V1 Canada,  
 Tel: 604-886-9864 / Fax: 604-676-2604 fax, [mwilson@enerficiency.ca](mailto:mwilson@enerficiency.ca) / <http://www.enerficiency.com/>  
[Christopher R. Jones](mailto:Christopher.R.Jones@enersys.com), P.E., EnerSys Analytics, Inc., 14 Oneida Avenue, Toronto, Ontario M5J 2E6, Canada. Tel: 416-203-7465 / fax: 416-203-8246  
 Brian Fountain, P.Eng. GreenSim, 233 Euston Road, Burlington, ON L7L 4V8 Canada,  
 Tel: 905-639-6014 / Fax: 905-639-0443, [bfountain@greensim.com](mailto:bfountain@greensim.com) / <http://www.greensim.com>

## INTERNATIONAL DOE-2 ENERGY CONSULTANTS

### China

[GAO, Qinglong](#), Green Building Design, Yanta Road 13, Xi'an Shaanxi, China 710055 – Tel: 0086-029-82204806

### Egypt

Dr. Ossama A. Abdou, Center for Building Environmental Studies and Testing (C-Best), 15-El-Shibani Street, Almanza, Cairo, Egypt Tel: +20 2 391 1137 or +20 2 417 4583 / Fax: +20 2 519 4343 / [oabdou@hotmail.com](mailto:oabdou@hotmail.com)

### Germany

**B. Barath** or **G. Morgenstern**, GMW-Ingenieurbüro GmbH, Strasse der Nationen 5, D-30539, Hannover, Germany

Tel: +49 2 131 7574 9012 G. Morgenstern / Fax: +49 2 131 7574 9029

Jens Grundt and Ludwig Michel, [GMW-Ingenieurbüro GmbH, Boulevard der Nationen 5, D-30539 Hannover](#), Lower Saxony, Germany

Tel: +49 0511 58 59 48 -11/Fax +49 0511 58 59 48 -48 [www.gmw-ingenieurbuero.de](http://www.gmw-ingenieurbuero.de) [j.grundt@gmw-ingenieurbuero.de](mailto:j.grundt@gmw-ingenieurbuero.de)

### Hong Kong, China, Taiwan, Japan

**Dr. Sam C. M. HUI**, Mechanical Engineering Dept., University of Hong Kong, Pokfulam Road, Hong Kong (SAR), CHINA / [cmhui@hku.hk](mailto:cmhui@hku.hk),

<http://web.hku.hk/~cmhui> Tel: +852 2859 2123 / Fax: +852 2858 5415

### India

**Jiten Prajapati** or **Anil K. Anand**, Energy Systems Engineering, IIT-Mumbai, Powai, Mumbai 400 076, INDIA Tel : +91 022 578 2545 x7378

### Italy

**Marco Rapella**, Managing Director Divisione Energie, Openplan SRL, c.so di Porta Nuova 13/15, 20121 Milano, Italy Tel: 39 02 626 94252, fax 36 02 2901 0531,

<mailto:marco.rapella@openplan.it>, <http://www.openplan.it/>

### Korea (Chungnam)

**Dr. Jun Tae Kim**, Department of Architectural Engineering, Kongju National University, 182 Sinkwan-dong, Kongju, Chungnam 314-701, Republic of Korea /

[jtkim@knu.kongju.ac.kr](mailto:jtkim@knu.kongju.ac.kr) / Tel: +82 416 850 8653 / Fax +82 416 856 9388

### Korea (Seoul)

**Dr. Jung-Ho Huh**, Ph.D., Assistant Professor, Dongdaemoon-Gu Jeonnon-Dong 90, Dept. of Architectural Engineering, The University of Seoul, Seoul 130-743,

Korea. -- [huhj0715@uoscc.uos.ac.kr](mailto:huhj0715@uoscc.uos.ac.kr), Tel: +02-2210-2616 / Fax: +02-2248-0382

### Korea (Taejon)

**Dr. Euy-Joon Lee** and **Jong-Ho Yoon**, Passive Solar Research Team, Bldg 2, Room 202, Korea Institute of Energy Research, Daeduk Science Town, 71-2 Jang-

Dong, Yusong-Gu, Taejon 305-343, Republic of Korea. -- Lee: [ejlee@kier.re.kr](mailto:ejlee@kier.re.kr), Yoon: [yesru@kier.re.kr](mailto:yesru@kier.re.kr) Tel: +82 42 860 3514 / Fax: +82 42 860 3132

### Mexico

Ricardo Gallegos, Facultad de Arquitectura, Universidad Autonoma de Baja Calif., Mexicali, B.C. Mexico -- Phone and Fax (52 686) 566 42 50

### New Zealand

**Tan Yune**, Architecture Department, The University of Auckland, Private Bag 92019, Auckland, New Zealand [tanyune@ccul.auckland.ac.nz](mailto:tanyune@ccul.auckland.ac.nz) / Tel: +64 9 373

7999 x5647 / Fax: +64 9 373 7410

## INTERNATIONAL DOE-2 ENERGY CONSULTANTS

### Portugal

**Antonio Rego Teixeira**, INETI, Departamento de Energias Renováveis (DER), Estrada do Paco do Lumiar, 1649-038 Lisboa, Portugal  
[rego.teixeira@mail.ineti.pt](mailto:rego.teixeira@mail.ineti.pt) / Tel: +351 21 712 7237 / Fax: +351 21 712 7195

### Singapore, Malaysia, Indonesia, Thailand, and the Philippines

**WONG Yew Wah (Raymond)**, Nanyang Technological University, School of Mechanical and Production Engineering, Nanyang Avenue, Singapore 2263, Republic of Singapore, [mywong@ntu.edu.sg](mailto:mywong@ntu.edu.sg) / Tel: +65 790 5543 / Fax: +65 791 1859

### South Africa

**Prof. L. J. Grobler**, School of Mechanical and Materials Engineering, University of Potchefstroom, Private Bag X6001, Potchefstroom 2520, South Africa,  
[meiljg@puknet.puk.ac.za](mailto:meiljg@puknet.puk.ac.za) / Tel: +27 148 299 1328 / Fax: +27 148 299 1320

### Switzerland

Gerhard Zweifel, Hochschule Technik + Architektur Luzern, Technikumstrasse 21 Abt. HLK, CH-6048 Horw, Switzerland [gzweifel@ztl.ch](mailto:gzweifel@ztl.ch)  
 Tel: +41 349 3349, Fax: 349 3960

### United Kingdom

Dr. Peter Simmonds, Ove Arup and Partners, Ltd., 13 Fitzroy Street, London W1P 6BQ, United Kingdom.  
 Tel: +44 20-7465-3637 / Fax: 7465-3667, [peter.simmonds@arup.com](mailto:peter.simmonds@arup.com) / <http://www.arup.com/>

## United States DOE-2 ENERGY CONSULTANTS

### Arizona

<a href="#">Dale R. Broughton, P.E.</a>	<a href="#">Quantum Computer Resources</a>	20833 North 1 <sup>st</sup> Street	Phoenix 85027	(623) 780-3496
<a href="#">Henny van Lambalgen, P.E.</a>	<a href="#">Quest Energy Group, LLC</a>	4325 East Pierce Road	Phoenix 85044	(480) 753-5590

### California

<a href="#">Joseph Deringer</a>	<a href="#">The Deringer Group, Inc.</a>	1250 Addison Street	Berkeley 94702	(510) 843-9000
<a href="#">M. Gabel, R. Howley</a>	<a href="#">Gabel Associates, LLC</a>	1818 Harmon Street	Berkeley 94703	(510) 428-0803
Steve Konopacki	<a href="mailto:skonopacki@yahoo.com">skonopacki@yahoo.com</a>	2315 Ward Street	Berkeley 94705	(510) 207-9649
<a href="#">Tom Lunneberg, Principal</a>	<a href="#">Innovative Energy Solutions</a>	6965 El Camino Real	Carlsbad 92009	(760) 805-3230
John R. Aulbach, P.E., CEM	<a href="mailto:jra_sac@yahoo.com">jra_sac@yahoo.com</a>	23508 Naffa Avenue	Carson 90745	(310) 308-6695
<a href="#">Leo Rainer</a>	<a href="#">Davis Energy Group, Inc.</a>	123 C Street	Davis 95616	(916) 753-1100
Lisa Heshong, Doug Mahone	<a href="#">The Heshong Mahone Group</a>	11626 Fair Oaks Blvd, #302	Fair Oaks 95628	(916) 962-7001
<a href="#">Cliff Gustafson</a>	<a href="#">Taylor Systems Engineering, Inc.</a>	9801 Fair Oaks Blvd., #100	Fair Oaks 95628	(916) 961-3400
<a href="#">Marty C. Dodd</a>	<a href="#">:EnergySoft, LLC</a>	1025 5th Street, Suite A	Novato 94945-2413	(415) 897-6400
<a href="#">Jim Kelsey PE</a>	<a href="#">kW Engineering</a>	287-17 <sup>th</sup> Street – Suite 300	Oakland 94612	(510) 834-6420
<a href="#">Dr. Tianzhen Hong</a> , Eric Kolderup	<a href="#">Architectural Energy Corporation</a>	142 Minna Street	San Francisco 94105	(415) 957-1977
Dr. Magnus Herrlin, Ph.D.	ANCIS, Inc.	<a href="http://www.ancis.us/">http://www.ancis.us/</a>	San Francisco	(see web site)
<a href="#">John F. Kennedy, PE</a>	<a href="#">Green Building Studio</a>	444 10th Street, Suite 300	Santa Rosa 95401	(707) 569-7373

**United States DOE-2 ENERGY CONSULTANTS**

<b>Colorado</b>				
Fred Porter	<a href="#">Architectural Energy Corporation</a>	2540 Frontier Ave, #201	Boulder 80301	(303) 444-4149
<a href="#">Joel Neymark, PE</a>	J. Neymark & Associates	3000 Youngfield St., No 163	Lakewood 80215	(303) 384-3672
<a href="#">Peter D'Antonio, P.E.</a>	PCD Engineering Services, Inc.	184 Wetterhorn Way	Longmont, CO 80501	(303) 678-1108
<a href="#">Norm Weaver, PE</a>	<a href="#">Interweaver Consulting</a>	P.O. Box 775444	Steamboat Springs 80477	(970) 870-1710
<b>Connecticut</b>				
<a href="#">Adrian Tuluca</a>	<a href="#">Steven Winter Associates</a>	50 Washington Street	Norwalk 06854	(203) 857-0200
<b>Florida</b>				
<a href="#">Philip Wemhoff</a>	9765 MacArthur Court North		Jacksonville 32246	(904) 645-5342
Dr. Paul Hutchins PE, CEM	<a href="#">Reynolds Smith &amp; Hills, Inc.</a>	10748 Deerwood Park Blvd South	Jacksonville 32256-0597	(904) 256-2500
<b>Georgia</b>				
<a href="#">Lung-Sing Wong, PE</a>	<a href="#">Building Performance Engineers</a>	3060 Wanda Woods Drive	Atlanta 30340	(770) 270-0100
<a href="#">Glenn Bellamy</a> (cell: 404-402-5881)	Heery International <a href="#">www.heery.com</a>	999 Peachtree Street NE	Atlanta 30309	(404) 946-2208
<b>Illinois</b>				
<a href="#">Thomas Weber, P.E.</a>	Weber Consultants, Ltd.	116 West Illinois St., 6W	Chicago 60610	(312) 644-6180
Gary H. Michaels, P.E.	G.H. Michaels Associates	1512 Crain Street	Evanston 60202	(847) 869-5859
<a href="#">David S. Eldridge, Jr., LEED</a>	<a href="#">Grumman/Butkus Associates</a>	820 Davis Street #300	Evanston 60201	(847) 328-3555
Prem N. Mehrotra	General Energy Corp.	230 Madison Street	Oak Park 60302	(708) 386-6000
<a href="#">Robert Henninger, PE</a>	<a href="#">GARD Analytics, Inc.</a>	1028 Busse Highway	Park Ridge 60068-1802	(847) 698-5686
<a href="#">Pongsak Chaisuparamikul Ph.D</a>	<a href="#">Illinois Institute of Technology</a>	3140 S Michigan Ave., #604	Chicago 60616-3807	(312) 225-4610
Kevin Luoma	<a href="#">Environmental Systems Design, Inc.</a>	175 W. Jackson Bldg., #1400	Chicago 60604	(312) 372-1200
<a href="#">Nick Malik</a>	Sebesta Blomberg Associates, Inc.	9550 West Higgins Rd. #300	Rosemont 60018	(847) 692-4780
<b>Kansas</b>				
<a href="#">Dr. Brian A. Rock, PE</a>	U. Kansas, A/E Dept, Marvin Hall		Lawrence 66045-2222	(785) 864-3603
<b>Massachusetts</b>				
C. Kalasinsky P.E.	<a href="#">R.G. Vanderweil Engrs., Inc.</a>	274 Summer Street	Boston 02458-1113	(617) 423-7423
Mark Mullins	Select Energy Services	24 Prime Parkway	Natick 01760	(508) 653-0456
<a href="#">Michael Andelman, P.E.</a>	<a href="#">Andelman and Lelek Engineering, Inc.</a>	1410 Providence Highway	Norwood 02062	(781) 769-8773
<a href="#">Yi Jiang, P.E., LEED AP</a>	Sebesta Blomberg Associates, Inc.	150 Presidential Way, # 330	Woburn 01801	(781) 721-3927
<b>Minnesota</b>				
<a href="#">Daniel A. Katzenberger, P.E. LEED-AP</a>	<a href="#">Engineering, Energy, and the Environment</a>	420 N. 5 <sup>th</sup> St. #305	Minneapolis 55401-1348	(612) 327-4210
<b>Missouri</b>				
Mike Roberts	Roberts Engineering Co.	11946 Pennsylvania	Kansas City 64145	(816) 942-8121
<b>Montana</b>				
<a href="#">Michael W Harrison, PE</a>	Harrison Engineering	139 Bluebird Lane	Whitehall 59759	(406) 287-5370
<b>Nebraska</b>				
Philip M. Schreier, PE	<a href="#">Farris Engineering</a>	11239 Chicago Circle	Omaha 68154-2634	(402) 330-5900

**U. S. DOE-2 ENERGY CONSULTANTS (continued)**

<b>New York</b>					
Robert E. Gibeault, Jr.	<a href="mailto:regibeault@lycos.com">regibeault@lycos.com</a>		Albany 12202		(518) 745-4249
<a href="#">Hugh Henderson, Steve Carlson</a>	<a href="#">CDH Energy Corporation</a>	P.O. Box 641 (132 Albany St)	Cazenovia 13035		(315) 655-1063
<a href="#">Ron Slosberg</a>	L&S Energy Services	37 Timberwick Drive	Clifton Park 12065		(518) 383-9405
<a href="#">James F. Dolan, P.E., LEED AP</a>	<a href="#">O'Dea, Lynch, Abbattista Consulting Engineers, PC</a>	50 Broadway	Hawthorne 10532		(914).747-2800-
Scott Frank P.E., Konstantin Babets, Chien Harriman	<a href="#">Jaros, Baum &amp; Bolles</a>	80 Pine Street	New York 10005		(212) 530-9300
Neville Burrows, P.E., LEED	EME Group	159 West 25 <sup>th</sup> Street, 5 <sup>th</sup> Floor	New York 10001		(212) 529-5969
<a href="mailto:info@emegroup.com">info@emegroup.com</a>	<a href="http://www.emegroup.com">www.emegroup.com</a>				
Michael Gresty, President	Kinetix LLC -- <a href="http://www.kinetixllc.com">http://www.kinetixllc.com</a>	535 West 34th St., Suite 508	New York, NY 10001		(917) 282.0310
<a href="mailto:gresty@kinetixllc.com">gresty@kinetixllc.com</a>					
<b>North Carolina</b>					
Harshad D. Padia, PE, LEED, Adam F. Spach, EI, LEED,	<a href="#">Padia Consulting, Inc.</a>	51 Kilmayne Dr. Suite 300	Cary 27511		(919) 481.1777
Russell E. Little, EI					
<a href="#">Hank Jackson, P.E.</a>	ETech Solutions	P.O. Box 2355	Weaverville 28787		(336) 691-0785
<b>North Dakota</b>					
<a href="#">Lawrence Johnson CECNM</a>		1213 – 7 <sup>th</sup> Street N.E.	Minot		(701) 240-0988
<b>Oregon</b>					
<a href="#">Mike Kaplan</a> Cell: (503) 502-8827	Kaplan Engineering	7424 SE Stephens Street	Portland 97215		(503) 774-1669
<a href="#">Thomas J. White</a> , P.E. Lead Engr.,	GLUMAC -- <a href="http://www.glumac.com">http://www.glumac.com</a>	320 SW Washington, No. 200	Portland 97204-2640		(503) 227-5280
<b>Pennsylvania</b>					
Kimberly Byk, wba@utcorp.com	Wood, Byk & Associates, Inc.	829 Meadowview Road	Kennett Square 19348		(610) 347-0710
<a href="#">Kevin Warren, P.E., CEM, LEED AP</a>	<a href="#">Warren Energy Engineering, LLC</a>	307 Baker Drive	Lincoln University 19352		(610) 255-3798 ph
<b>Texas</b>					
Jeff S. Haberl <a href="mailto:jhaberl@esl.tamu.edu">jhaberl@esl.tamu.edu</a>	Energy Systems Laboratory <a href="http://esl.tamu.edu">esl.tamu.edu</a>	Texas A&M University	College Station 77843		(409) 845-6065
Tarek Bou-Saada	<a href="mailto:bousaada@flash.net">bousaada@flash.net</a>	4410 Grand Cayman Drive	Sugar Land 77479		(281) 265-9139
David Gardner, General Manager	SolArm, Inc. – <a href="http://www.solarm.com">www.solarm.com</a>	6617 Sky Road	Joshua, TX 76058		(817)-309-2269
<b>Utah</b>					
Ray L. Worthen, P.E.	<a href="mailto:ray.worthen@hill.af.mil">ray.worthen@hill.af.mil</a>	5208 W. Frontier	Morgan 84050		
<b>Virginia</b>					
Jay Hall <a href="mailto:jayhall@icfconsulting.com">jayhall@icfconsulting.com</a>	ICF Consulting	9300 Lee Highway	Fairfax 22031		(410) 263-3162
<a href="#">Kurmit Rockwell, LEED AP, P.E., CEM</a>	<a href="#">ConEdison Solutions</a>	4350 N. Fairfax Dr., Suite 820	Arlington 22203		(703) 875-9458
<a href="#">Dave Walker</a>	<a href="#">Walker Engineering</a>	P.O. Box 366, 4230 Pulaski Giles Turnpike	Staffordsville 24167		(540) 921-4544
<b>Washington</b>					
<a href="#">Gregory J. Banken, PE</a>	<a href="#">Q-Metrics, Inc.</a>	P.O. Box 3016	Woodinville 98072-3016		(425) 825-0200
<b>Wisconsin</b>					
<a href="#">Bill Talbert, M.E.</a>	<a href="#">Affiliated Engineers Inc.</a>	5802 Research Park Blvd.	Madison 53719		(608) 441-6677